



SEDONA BY LYNX™ SERIES

36" SEDONA FREESTANDING GRILL

WITH 3 STAINLESS STEEL BURNERS AND ROTISSERIE (L600FR)



L600FR PRODUCT OVERVIEW

- Variable power—three Stainless Steel Burners combining to provide up to 69,000 BTU
- Ample capacity—891 square inches of cooking surface (618 primary, 273 secondary)
- Beautiful illumination—blue-lit control knobs
- Quick visibility—temperature gauge
- Ready rotisserie—infrared back burner, rotisserie motor, spit rods, and forks
- Premier platform—stainless steel grilling grates
- Steadfast durability—heavy-duty welded construction eliminates gaps where grease can collect
- Ready rotisserie—rotisserie model includes an infrared back burner, rotisserie motor, spit rods, and forks
- Consistent assurance—direct spark ignition with battery backup
- Perfect clarity—halogen grill surface light
- Smooth opening—fluid rotation handle
- Easy opening—Lynx Hood Assist
- Complete coverage—ceramic briquettes offer even and radiant heat



FOR A COMPLIMENTARY CUSTOM DESIGN FOR YOUR OUTDOOR KITCHEN, VISIT LYNXGRILLS.COM/DESIGN-CENTER

L600FR PRODUCT FEATURES

The Sedona by Lynx™ Series is always evolving to be the best at something new. That philosophy is reflected in its features. We've refined these features to give you a grilling experience that's both simple and stunning.



ROTISSERIE SYSTEM



STAINLESS STEEL BURNERS




SPARK IGNITION SYSTEM



SEAMLESS WELDED CONSTRUCTION



INTEGRATED ILLUMINATION



LYNX HOOD ASSIST



CERAMIC RADIANT BRIQUETTES



EXPANSIVE GRILLING SURFACE

FOR MORE
INFORMATION ON
SEDONA BY LYNX™ SERIES
PRODUCT FEATURES,
PLEASE VISIT
LYNXGRILLS.COM

PRODUCT TECHNICAL SPECIFICATIONS



SHIPPING DIMENSIONS: WIDTH 46" / HEIGHT 54.5" / DEPTH 31.5"
SHIPPING WEIGHT: 286 POUNDS



GAS REQUIREMENTS: SHIPS IN LIQUID PROPANE OR NATURAL GAS FROM FACTORY



ELECTRICAL REQUIREMENTS: INSTALLATION REQUIRES AN OUTDOOR 120V/15GFI ELECTRICAL OUTLET ADJACENT TO PRODUCT



COOKING CONFIGURATION: FREESTANDING GRILL WITH 3 STAINLESS STEEL BURNERS AND ROTISSERIE

PRODUCT DIMENSIONS

